

June 03, 2010

This report represents a preliminary determination of project requirements from various city departments. The report is based on project characteristics that you identified on the Site Plan and the Preliminary Application Form. The city's goal is to provide you with as much information and assistance as possible prior to your permit application submittal. This coordinated list of requirements and decisions is a reference for creating a more complete submittal package to reduce the need for correction cycles that delay permit approval. The information in this report can also be used to develop a Street Improvement Plan (SIP) application for submittal to SDOT (see SDOT Client Assistance Memos 2200, 2201, 2211, 2212, 2213, and 2214).

Note: A preliminary assessment is being conducted on all land use projects as well as new construction projects. If you have a building project associated with your land use project, the preliminary assessment will not be repeated on the building project.

The applicant assumes full responsibility for determining all permit requirements and infrastructure improvements per applicable sections of the Seattle Municipal Code and the City of Seattle's Right-of-Way Improvement manual.

- Street use permits are required for all work in the right-of-way (see SDOT Client Assistance Memo 2100).
- If street improvements are required, you must obtain all necessary permits from SDOT.
- If an SIP is required, SDOT must accept your 90% complete SIP before DPD construction intake (see Client Assistance Memos 2200, 2206, 2209, 2211, 2213, and 2214).

AP/Project No. 6249699 Application Template Application Type CONSTRUCTION AND DEVELOPMENT Category COMMERCIAL PASV Done Under Completed Address Address Address Address Address Location Zoning King County APN Permit Status Description of Work Construction of new inpatient hospital & temorpary surface parking. SDOT Project No Ring County No. 6249699 Ground Disturbance PASV Required This Permit No. And PASV Done Under Permit Remarks Applicant Applicant Applicant Applicant Email dave.neal@zgf.com Journal Office Applicant Construction of new inpatient Nos. Applicant Email Linked AP/Project Nos.				
Application Type CONSTRUCTION AND DEVELOPMENT Completed Category COMMERCIAL PASV Done Under 3011377 DPD Review Type FULL Permit Remarks Address 4800 Sand Point Way NE Location Zoning Applicant Initial Information Collected Permit Status Initial Information Collected Description of Work Work Work Applicant Nos. Disturbance PASV Required This Permit Nos. Date PASV Done Under 3011377 Permit Remarks Applicant DAVID NEAL 925 4TH AV #2400 SEATTLE WA 98104 (206) 521-3479 Applicant Email dave.neal@zgf.com Linked AP/Project Nos.	Project Summary			
Template Application Type CONSTRUCTION AND DEVELOPMENT Completed Category COMMERCIAL PASV Done Under 3011377 Permit Remarks Address 4800 Sand Point Way NE Location Zoning King County APN Permit Status Initial Information Collected Description of Work Work Permit Status Construction of new inpatient hospital & temorpary surface parking. Applicant This Permit Apale PASV Completed Permit Remarks Applicant Paylicant Applicant Email dave.neal@zgf.com Linked AP/Project Nos.	AP/Project No.	6249699		Υ
Category COMMERCIAL PASV Done Under 3011377 DPD Review Type FULL Address 4800 Sand Point Way NE Location Zoning Applicant King County APN 2982800005 Permit Status Initial Information Collected Description of Work Work Permit Status Initial & temorpary surface parking. Applicant Email dave.neal@zgf.com Linked AP/Project Nos.		BLDG	-	N
DPD Review Type Address 4800 Sand Point Way NE Location Zoning King County APN Permit Status Initial Information Collected Description of Work Work Permit Status DAVID NEAL 925 4TH AV #2400 SEATTLE WA 98104 (206) 521-3479 Applicant Email dave.neal@zgf.com Linked AP/Project Nos. Applicant Email 3011377	Application Type			(Not Req)
Address 4800 Sand Point Way NE Location Zoning King County APN 2982800005 Permit Status Initial Information Collected Description of Work Work Applicant DAVID NEAL 925 4TH AV #2400 SEATTLE WA 98104 (206) 521-3479 Applicant Email dave.neal@zgf.com Linked AP/Project Nos.	Category	COMMERCIAL	PASV Done Under	3011377
Zoning Applicant DAVID NEAL 925 4TH AV #2400 SEATTLE WA 98104 (206) 521-3479 Permit Status Initial Information Collected Construction of new inpatient hospital & temorpary surface parking. Applicant DAVID NEAL 925 4TH AV #2400 SEATTLE WA 98104 (206) 521-3479 Applicant Email dave.neal@zgf.com Linked AP/Project Nos.	DPD Review Type	FULL	Permit Remarks	
Zoning King County APN Permit Status Initial Information Collected Description of Work Work Construction of new inpatient hospital & temorpary surface parking. Applicant Applicant Applicant Applicant Applicant Applicant Email Applicant Email Linked AP/Project Nos. DAVID NEAL 925 4TH AV #2400 SEATTLE WA 98104 (206) 521-3479 Applicant Email Linked AP/Project Nos.	Address	4800 Sand Point Way NE		
King County APN Permit Status Initial Information Collected Description of Work Work Construction of new inpatient hospital & temorpary surface parking. Applicant Email dave.neal@zgf.com Linked AP/Project Nos. 3011377	Location			
Permit Status Initial Information Collected Description of Work Work Construction of new inpatient hospital & temorpary surface parking. Applicant Email dave.neal@zgf.com Linked AP/Project Nos. SEATTLE WA 98104 (206) 521-3479 Applicant Email dave.neal@zgf.com Linked AP/Project Nos.	Zoning		Applicant	925 4TH AV #2400 SEATTLE WA 98104
Description of Work construction of new inpatient hospital & temorpary surface parking. Applicant Email dave.neal@zgf.com Linked AP/Project Nos.	King County APN	<u>2982800005</u>		
Work hospital & temorpary surface parking. Linked AP/Project Nos.	Permit Status	Initial Information Collected		
parking. Linked AP/Project 30113// Nos.		hospital & temorpary surface	Applicant Email	dave.neal@zgf.com
SDOT Project No				3011377
	SDOT Project No			

For detailed zoning information, click the King County APN number above, or visit http://web1.seattle.gov/dpd/parceldata/ to find zoning details about your address.

Seattle City Light Requirements

Contact: Ray Ramos, (206) 615-1193, ray.ramos@seattle.gov

Street/Alley Requirements 40TH AVE NE

Working Clearance: State law requires construction workers, their tools, machinery, equipment, and materials to maintain a 10-foot clearance from power lines. Review WAC 296-24-960. Transmission lines require greater clearance. To work near power lines, notify SCL well in advance to de-energize and ground the lines,

or relocate the lines temporarily. This SCL work is done at the project's expense. There are overhead high voltage lines along the west side of 40th Ave NE.

NE 45TH ST

Working Clearance: State law requires construction workers, their tools, machinery, equipment, and materials to maintain a 10-foot clearance from power lines. Review WAC 296-24-960. Transmission lines require greater clearance. To work near power lines, notify SCL well in advance to de-energize and ground the lines, or relocate the lines temporarily. This SCL work is done at the project's expense. There are overhead high voltage lines along the south side of NE 45th St.

SAND POINT WAY NE

Based on our assessment of the size of your project, you may need transformers on your private property for power service to your building. This can be done with vaults inside the building, below-grade vaults, or above-grade pads exterior to the building. Include these facilities for your project power needs in your building plans. SCL has access, clearance, size and location requirements for vaults. Some transformers require long lead times to obtain. Contact SCL well in advance to provide electrical service size & voltage details.

Easements

SCL power easement may be required. Property survey may be required at project's expense. For the primary distribution lines between Laurelon Condos & hospital if not relocated or removed.

SCL power easement over the property exists. North section of the primary distribution lines between Laurelon Condos & the hospital.

Construction over the existing SCL power easement is not allowed. North section of the primary distribution lines between Laurelon Condos & the hospital.

Other Requirements

- There are overhead high voltage lines that run north-south from NE 45th St to near Sand Point Way NE and east of the existing Laurelon Condos. Working and permanent clearances are required.
- For all communication, questions and construction guidance, please contact the SCL Electrical Service
 Engineer, Ian Cooper, at 206-386-9734 or Ian.Cooper@seattle.gov. For new service, an Application for
 Electrical Service must be submitted to Seattle City Light. The Electrical Service Engineer must be
 contacted several months before new service is required to determine your electric service design,
 service location and what kind of service is available at the building site. The Electrical Service Engineer
 should also be contacted to coordinate electrical details with demolition and temporary power for
 construction.

DPD Drainage Requirements

Contact: Joseph P Berentsen, (206) 684-8613, Joe.Berentsen@seattle.gov

The following requirements are based on the current stormwater and side sewer codes. Major updates to these codes are expected in the fourth quarter of 2009.

Existing Public Drainage Infrastructure

Sanitary sewer main location: 40th Ave. NE Sanitary sewer main size: 15" Diameter Storm drainage main location: 40th Ave. NE Storm drainage main size: 54" Diameter

Drainage

The drainage point of discharge (SMC 22.805.020) is located at: Public storm drain system.

Flow Control Compliance

All new, replaced, and disturbed topsoil shall be amended with organic matter per rules promulgated by the Director prior to completion of the project to improve onsite management of drainage water flow and water quality per SMC 22.805.020.E. Refer to CAM 531, Post Construction Soil Management. For projects with 5,000 square feet or more of new plus replaced impervious surface, a comprehensive drainage control plan and construction stormwater control plan shall be prepared by a licensed engineer.

Parcel-based projects with 7,000 square feet or more of land disturbing activity or 2,000 square feet or more of new plus replaced impervious surface must implement green stormwater infrastructure to infiltrate, disperse, and retain drainage water onsite to the maximum extent feasible without causing flooding, landslide, or erosion impacts per SMC 22.805.020.F. Refer to Director's Rule 19-2009 - Requirements for Green

Stormwater Infrastructure to the Maximum Extent Feasible and Director's Rule 17-2009 - Stormwater Manual Vol. III - Stormwater Flow Control and Water Quality. Submit a GSI Calculator per DR 19-2009.

Water Quality

This project site discharges to a water body that requires basic treatment (SMC 22.805.050 B). Based upon the information provided on the Preliminary Application Form pertaining to existing and proposed impervious surfacing this project shall: provide a basic treatment facility that treats the required runoff volume or flow rate from pollution generating surfaces (SMC 22.805.090 B1, B2).

Based upon the information provided on the Preliminary Application Form pertaining to existing and proposed impervious surfacing and proposed site usage this project shall: provide an oil control facility that treats the required runoff volume or flow rate from high use designated pollution generating surfaces (SMC 22.805.090 B.1, B.3).

Wastewater

The wastewater point of discharge (SMC 21.16.070.B) is located at Sanitary Sewer.

All homeowners and building owners in King County's service area whose home or building was newly connected to the King County sewer system on or after Feb. 1, 1990 must pay a King County Capacity Charge. Further information is available online at:

http://www.kingcounty.gov/environment/wastewater/capacitycharge.aspx

Permanent and Temporary Dewatering

The footing drain (if part of building plan) point of discharge (DPD DR 3-2006/SPU DR 02-06 VII.H) is located at the following: Public storm drain system.

DPD Land Use Code Requirements

Contact: Joanne E West, (206) 233-3865, JoAnne.West@Seattle.Gov

Street Requirements

Based on the scope of the proposed project, the following street improvements are required per Chapter 23.53 of the Seattle Municipal Code. Please review Right-of-Way Improvements Manual for design criteria (http://www.seattle.gov/transportation/rowimanual/manual/). Show required street improvements on your "enhanced site plan" at DPD permit application intake. If an SDOT Street Improvement Plan (SIP) is required, please list SDOT project number and SDOT contact name on the enhanced site plan. Street Improvement Plans must be accepted by SDOT prior to DPD permit application intake.

40TH AVE NE

Other requirements: Any street improvements handled in the MIO and rezone.

41ST AVE NE

Other requirements: Any street improvements handled in the MIO and rezone.

NE 45TH ST

Other requirements: Any street improvements handled in the MIO and rezone.

NE 46TH ST

Other requirements: Any street improvements handled in the MIO and rezone.

SDOT Requirements

Contact: Ken Bardsley, ken.bardsley@seattle.gov

The City of Seattle's Right-of-Way Improvements Manual (ROWIM) and SDOT's Street & Sidewalk Pavement Opening and Restoration (PORR) Director's Rule 2004-02 may be accessed from SDOT's Street Use website at: http://www.seattle.gov/transportation/stuse_docs.htm. Whenever possible, specific reference notation for these two design documents is noted next to the design characteristics below. Be advised that these specific section and chapter references are provided as preliminary guidance only and are not comprehensive in scope.

SDOT Permitting Information

Initial Review Deposit: \$2,500

SDOT Plan Requirements: Engineered plan

SDOT Permit Requirements: Group 3: Street Use Major (Type 45). A 90% complete street improvement plan (SIP) must be accepted by SDOT prior to your DPD construction intake appointment. Please visit SDOT's Street Use website at: http://www.seattle.gov/transportation/stuse_sip.htm to obtain SDOT Client Assistance Memos (CAMs) and application materials to assist in developing your street improvement plan (SIP).

Street Improvement Requirements 41ST AVE NE

Other requirements: street vacation

NE 46TH ST

Other requirements: Street vacation

SAND POINT WAY NE

New/Replacement Curb: See Seattle Right of Way Improvements Manual (ROWIM) sections 4.8.2 and 4.8.3 as well as the City of Seattle Standard Plan 422A. See Right of Way Improvement Manual (ROWIM) section 1.4 for a link to the City's Standard Plans and Specifications. If your project is proposing to install new curb or is proposing to change the alignment of an existing curb apply for SDOT SIP Design Guidance. See SDOT CAM 2211.

Other requirements: Arterial list indicates improved street width, curb to curb has not been determined.

SPU Requirements

Contact: Steve Resnick, (206) 233-7234, ResnicS@seattle.gov

Flow Control Compliance

All new, replaced, and disturbed topsoil shall be amended with organic matter per rules promulgated by the Director prior to completion of the project to improve onsite management of drainage water flow and water quality per SMC 22.805.020.E. For projects with 5,000 square feet or more of new and replaced impervious surface, a comprehensive drainage control plan shall be prepared by a licensed engineer.

Other Requirements

Owners of residential property occupied by a tenant who will be displaced by housing demolition, substantial rehabilitation, change of use, or removal of use restrictions may need to obtain a Tenant Relocation License. Refer to DPD CAM 123, Seattle's Tenant Relocation Assistance Ordinance, for further information and instructions or call (206) 684-7979.

If your project involves additions or modification to or demolition of an existing building that contains four or more dwelling units or 4,000 square feet or more of non-residential area, and the building is a designated historic landmark or is 50 years old and meets the criteria set forth in SMC 25.12 for landmark designation, SEPA is required. Please contact the Department of Neighborhoods at (206) 684-0228 or www.seattle.gov/neighborhoods/preservation to determine if your building is a designated landmark of if a referral is necessary to determine if the building meets the criteria in SMC 25.12. Refer to CAM 208 for information regarding the application requirements for a SEPA review and CAM 3000 for information regarding landmarks and historic preservation.

Applicant Next Steps

For questions on the permit application process, please contact the Applicant Services Center (ASC) at 206-684-8850.

- 1. Review the requirements in this report.
- 2. Use Client Assistance Memos (CAMs), checklists and standards, and 5 Steps for a Successful DPD Application Submittal (available on the DPD website) for additional information.
- 3. If a SIP is required, **DPD will not accept your application until your SIP application is screened at SDOT.** Allow a minimum of 5 days for screening after application submittal to SDOT.
- 4. Information on requirements for Electric Service Connection (RESC), electric service applications, guidelines and other services can be found on Seattle City Light's website (http://www.seattle.gov/light/newconstruction/). Contact an Electric Service Representative for your electrical service design and connection questions:

North of Denny Way (206) 615-0600 South of Denny Way (206) 386-4200

Large Commercial & Industrial (206) 233-7177

Service Applications (206) 233-APPS (2777)

- 5. If you have additional questions or need additional information, you may request a pre-submittal conference. Call (206) 684-8850 or go to DPD's website (http://www.seattle.gov/dpd/Publications/Forms/Building_Permit/default.asp).
- 6. When all issues have been addressed, you may schedule an intake appointment with DPD. **Please bring a copy of this report to your intake appointment.**

The requirements and determinations in this report are based on the details provided by the applicant on the preliminary application form and site plan submitted to DPD. If the scope of your proposed project changes before your DPD intake appointment or SDOT SIP application, the requirements in this report are subject to change. If there are municipal code and ordinance changes prior to your DPD intake, the project must meet the new code requirements. Additional street improvement requirements may be triggered if a permit application for a development project on adjacent property is also undergoing review.